

Certificate of Analysis

Item no - 002151
Page 1 of 2



Delivery 803982304 from 17.12.2024

DOEHLER INDIA PVT. LTD.
Hinjewadi, Pune - 411 057, India

MALAS FOOD PRODUCTS PVT LTD
25/1A Bhose Village Tal., Mahabaleshwar
412805 PANCHGANI
INDIA

Customer Number:
10101087

Your reference:
PO/RM/OCT24/10045 from 16.12.2024

Order number:
300440117

Inside Sales Support:
Aniket Wagh

Shipping address:

MALAS FOOD PRODUCTS PVT LTD
B-47, M.I.D.C, WAI
DIST-SATARA, 412803
412803 WAI-SATARA
INDIA

Material	9.10426.010		
Description	APPLE JUICE CONC. 70 BRIX ASEPTIC		
Temperature	20 °C		
Batch	DI23AJC0210	Prod.-date	02.10.2023
Quantity	4.950 KG	BBD	01.10.2025

Parameter	Limits	Result / Unit	Method
Appearance		OK	[Döhler method]
Sensory testing color		identical	[Döhler method]
Sensory smell		identical	[Döhler method]
Sensory testing taste		identical	[Döhler method]
Brix (refractometric)	69,50 - 71,50	70,83 ° Brix	[IFU8]
Total titratable acid (as CAA anhydro)	0,50 - 2,00	1,21 g/100g	[IFU3]
Brix (corrected)	69,60 - 71,90	71,07 ° Brix	[IFU8]
pH-value	1,00 - 4,00	3,12	[IFU11]
Total Aciduric Count	≤ 100	0 cfu/g	[Döhler method (modified IFU)]
Yeast	0 - 10	0 cfu/g	[Döhler method (modified IFU)]
Mold spores	0 - 10	0 cfu/g	[Döhler method (modified IFU)]

Plot No. 3, Survey No. 285
Raisoni Industrial Park
Hinjewadi, Pune - 411057
India

Tel: +91 2066744646
Fax +91 20 6652 0251
www.doehler.com

Branch Offices
Gurugram, Haryana, India, Tel: +91 124 4375161
Chennai, India, Tel: +91 44 28115520
Kolkatta, India Tel: + 91 33 40732123